# 2020 EPORT



The Safe Drinking Water Act (SDWA) requires that utilities issue an annual "Consumer Confidence" report to customers in addition to other notices that may be required by law. This report details where our water comes from, what it contains, and the risks our water testing and treatment are designed to prevent. The City of Lakeland is committed to providing you with the safest and most reliable water supply. Informed consumers are our best allies in maintaining safe drinking water. We are proud to report that the water provided by The City of Lakeland meets or exceeds established water-quality standards.

# NATIONAL PRIMARY DRINKING WATER REGULATION COMPLIANCE

For more information, or to request a copy of this report, call the City of Lakeland at (863) 834-6802. The water plant operator on duty will be glad to answer any questions. Water Quality Data for your community water system is available at www.lakelandgov.net/water/water/water-quality



LAKELANDGOV.NET/WATERQUALITY

# THE QUALITY OF DRINKING WATER TO OUR CUSTOMERS

The City of Lakeland, Department of Water Utilities serves 61595 metered accounts with a population of 184612 people. In 2020, we distributed over 8 billion gallons of water to our customers.

### **WATER SOURCE**

Nineteen wells (13 wells at the T.B. Williams WTP and 6 wells at the C.W. Combee WTP) drilled 750 feet into the Floridan aquifer, cased and grouted 200 feet below the surface provide raw water to the City's two lime softening plants. Utilizing a variety of treatment processes the operators control the blending of raw water with softened water to produce water with stability slightly on the scale forming side (utilizing Langlier's Saturation Index as the primary parameter). After blending the water, it is then filtered utilizing dual media filters consisting of anthracite and sand. The finished water is then delivered to the transmission/distribution system using high service pumps to maintain system pressure. Chemical addition includes calcium hydroxide (lime) and polymer in the lime softening process, starch for sludge conditioning, fluoride for dental health, phosphate for calcium sequestration prior to filtration and chlorination to 2.8 ppm free chlorine residual for disinfection.

### SOURCE WATER ASSESSMENT AND PROTECTION PROGRAM\*

Size of Assessment Area: For this community system, a 5-year ground water travel time around each well was used to define the assessment area. The 5-year ground water travel time is defined by the area from which water will drain to a well pumping at the average daily permitted rate for a five-year period of time.

### **Number of Wells: 19**

The Department of Environmental Protection has performed a Source Water Assessment on the **T.B. Williams and C.W. Combee Treatment Plants** in 2019. The assessments were conducted to provide information about any potential sources of contamination in the vicinity of our wells. There are 11 Unique Potential Contaminant Sources identified for this system. 9 wells have been identified with a "moderate" concern level and 6 Wells have been identified with a "low" concern level. The assessment results are available on the FDEP Source Water Assessment and Protection Program website at: www.dep.state.fl.us/swapp.

## AN EXPLANATION OF THE WATER QUALITY DATA TABLE

The table shows the results of our monitoring for the period of January 1 to December 31, 2020 and includes test results in earlier years for contaminants sampled less than once a year. For contaminants not required to be tested in 2020, test results are for the most recent testing done in accordance with the regulations. The table on the right contains the name of each substance, the highest level allowed by regulation (MCL), the ideal goals for public health (MCLG), the amount detected, the usual sources of such contamination, footnotes explaining our findings, and a key, referencing units of measurement. Definitions of MCL, MCLG, MRDL and MRDLG are important.

### MAXIMUM CONTAMINANT LEVEL OR MCL

The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

### **MAXIMUM CONTAMINANT LEVEL GOAL OR MCLG**

The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

### **Maximum Residual Disinfectant Level or MRDL:**

The highest level of a disinfectant allowed in drinking water.

### **Maximum Residual Disinfectant Level Goal or MRDLG:**

The level of a drinking water disinfectant below which there is no known or expected risk to health.

### **Unregulated Contaminants (UC):**

The City of Lakeland has been monitoring for UC as part of a study to help the U.S. Environmental Protection Agency (EPA) determine the occurrence in drinking water of UC and whether or not these contaminants need to be regulated. As present, no health standards (for example, maximum contaminant levels) have been established for UC. However, we are required to publish the analytical results for our UC monitoring in our annual water quality report. If you would like more information on the EPA's Unregulated Contaminants Rule (UCMR), please call the Safe Drinking Water Hotline, (800) 426-4791.

61,595
METERED ACCOUNTS SERVED

184,612
POPULATION SERVED



### **REQUIRED MONITORING TEST RESULTS TABLE**

Key to Table: **AL**= Action Level **MCL**= Maximum Contaminant Level **MCLG**= Maximum Contaminant Level Goal **pCi/L**= Pico curies per liter (a measure of radioactivity in water) **ppm**= parts per million or milligrams per liter (mg/l) (One part by weight of analyte to 1 million parts by weight of the water sample), **ppb** = parts per billion(One part by weight of analyte to 1 billion parts by weight of the water sample), or micrograms per liter ( $\mu$ g/L) **n/a**= Does Not Apply **ND**= indicates that the substance was not detected by laboratory analysis.

### NON-SECONDARY CONTAMINANT TABLE

\*\* Results in the Level Detected column for radiological contaminants and inorganic contaminants are the highest average at any of the sampling points or the highest detected level at any sampling point, depending on the sampling frequency.

| Contaminant and Unit of Measurement         | Monitoring Period<br>Month/Year | MCL Violation<br>Yes/No | Level Detected ** | Range of<br>Results | MCLG | MCL | Likely Source of<br>Contamination |
|---|---------------------------------|-------------------------|-------------------|---------------------|------|-----|-----------------------------------|
| Radiological Contaminants                   |                                 |                         |                   |                     |      |     |                                   |
| Alpha Emitters (pCi/L)                      | 1/1/2020-12/31/2020             | No                      | 1.10              | ND – 1.10           | 0    | 15  | Erosion of natural deposits       |
| Radium 226 + 228 or combined Radium (pCi/L) | 1/1/2020-12/31/2020             | No                      | 1.4               | 0.9 -1.9            | 0    | 5   | Erosion of natural deposits       |
| Uranium (µg/L)                              | 1/1/2020- 12/31/2020            | No                      | 0.83              | ND - 0.83           | 0    | 30  | Erosion of natural deposits       |
| Inorganic Contaminants                      |                                 |                         |                   |                     |      |     |                                   |

| Arsenic (ppb)               | 1/1/2020-12/31/2020 | No | 0.49   | ND - 0.49       | 0  | 10 | Erosion of natural deposits; runoff<br>from orchards; runoff from glass<br>and electronics production wastes  |
|-----------------------------|---------------------|----|--------|-----------------|----|----|---|
| Barium (ppm)                | 1/1/2020-12/31/2020 | No | 0.0058 | 0.0046 - 0.0058 | 2  | 2  | Discharge of drilling wastes;<br>discharge from metal refineries;<br>erosion of natural deposits  |
| Fluoride (ppm)              | 1/1/2020-12/31/2020 | No | 0.61   | 0.58-0.61       | 4  | 4  | Erosion of natural deposits;<br>discharge from fertilizer and<br>aluminum factories. Water<br>additive which promotes strong<br>teeth when at the optimum level<br>of 0.7 ppm |
| Nitrate (as Nitrogen) (ppm) | 1/1/2020-12/31/2020 | No | 0.12   | ND - 0.12       | 10 | 10 | Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits   |
|                             |                     |    |        |                 |    |    |   |

8.2

5.7-8.2

Salt water intrusion; leaching

from soil

160

### Stage 2 Disinfectant / Disinfectant By-Products Rule

Sodium (ppm)

1/1/2020-12/31/2020

Chlorine: Level Detected is the 2020 monthly average for residual Chlorine; Range of Results is the range of 2020 average monthly Chlorine residual level results (lowest to highest) at the individual sampling sites. TTHMs and HAA5s: Level detected is the highest LRAA detected in 2020 and the Range of Results is the 2020 results (lowest to highest) at the individual sampling sites.

No

| Disinfectant or Contaminant<br>and Unit of Measurement | Dates of sampling (mo./yr.) |    | Level Detected | Range of Results | MCLG     | MCL      | Likely Source of Contamination            |
|--|-----------------------------|----|----------------|------------------|----------|----------|---|
| Chlorine   | 1/01/2020-12/31/2020        | No | 1.95           | 1.54 – 2.22      | MRDLG= 4 | MRDL = 4 | Water additive to control microbes        |
| Haloacetic Acids (HAA5)(ppb)                           | 1/01/2020-12/31/2020        | No | 26.39          | 4.64 - 39.67     | N/A      | 60       | By-product of drinking water disinfection |
| Total Trihalomethanes<br>(TTHM) (ppb)                  | 1/01/2020-12/31/2020        | No | 54.31          | 17.64-67.66      | N/A      | 80       | By-product of drinking water disinfection |
|  |                             |    |                |                  |          |          |   |

### Lead and Copper (Tap Water)

| Contaminant and Unit of<br>Measurement | Dates of sampling (mo./yr.) | AL Violation<br>Y/N | 90 <sup>th</sup> Percentile<br>Result | No. of sampling sites exceeding the AL | MCLG | AL  | Likely Source of Contamination   |
|--|-----------------------------|---------------------|---------------------------------------|--|------|-----|--|
| Copper (tap water) (ppm)               | 9/2020                      | No                  | 0.29                                  | 0                                      | 1.3  | 1.3 | Corrosion of household plumbing; erosion<br>of natural deposits; leaching from wood<br>preservatives |
| Lead (tap water)                       | 9/2020                      | No                  | 2.6                                   | 0                                      | 0    | 15  | Corrosion of household plumbing; erosion of natural deposits;  |

| Unregulated Contaminants (UCMR4)     |                             |                          |                    |  |  |  |  |  |
|--------------------------------------|-----------------------------|--------------------------|--------------------|--|--|--|--|--|
| Contaminant and Unit of Measurement  | Dates of sampling (mo./yr.) | Level Detected (Average) | Range of Detection | Likely Source of Contamination             |  |  |  |  |
| Haloacetic Acids (FIVE)(HAA5) (ppb)  | 2/20,8/20                   | 21.78                    | 12.20 - 33.53      | By-products of drinking water disinfection |  |  |  |  |
| Haloacetic Acids (SIX)(HAA6Br) (ppb) | 2/20,8/20                   | 11.67                    | 5.61 – 22.56       | By-products of drinking water disinfection |  |  |  |  |
| Haloacetic Acids (NINE)(HAA9) (ppb)  | 2/20,8/20                   | 31.98                    | 17.11 – 52.36      | By-products of drinking water disinfection |  |  |  |  |
| Total Organic Carbon (TOC) (ppm)     | 2/20,8/20                   | 1.375                    | 1.24 – 1.51        | Naturally present in the environment       |  |  |  |  |
| Manganese (ppm)                      | 2/20,8/20                   | 0.001                    | ND - 0.0015        | Natural occurrence from soil leaching      |  |  |  |  |
| Bromide (ppm)                        | 2/20,8/20                   | 0.046                    | 0.035 - 0.061      | Not Available                              |  |  |  |  |

### REQUIRED HEALTH INFORMATION

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The City of Lakeland is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

### Contaminants that may be present in source water include:

- **(A)** Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- **(B)** Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- **(C)** Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- **(D)** Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems.
- **(E)** Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the EPA prescribes regulations, which limit the amount of certain contaminants in water provided by public water systems. The Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water, which must provide the same protection for public health.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791Some people may be more vulnerable to contaminants in drinking water than the rest of the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium are available from the Safe Drinking Water Hotline (800-426-4791).

